

Cage Nuts



Type S



Type R

Thread Size	Suitable Panel Thickness	Hole Size Across Flats	Overall Cage Width +/- 0.5	Overall Cage Height +/- 0.3	Cage Types Available
M3	0.7-1.6	6.8	10.5	7.2	R
M4	0.7-1.6	6.8	10.5	7.2	R
M4	0.7-1.6	9.5	13.2	8.6	R
M4	1.7-2.6	9.5	13.2	9.5	R
M4	2.0-3.2	9.5	13.2	10.2	R
M5	0.7-1.6	9.5	13.2	8.6	R & S
M5	1.7-2.6	9.5	13.2	9.5	R & S
M5	2.0-3.2	9.5	13.2	10.2	R & S
M6	0.7-1.6	9.5	13.2	8.6	R & S
M6	1.7-2.6	9.5	13.2	9.5	R & S
M6	2.0-3.2	9.5	13.2	10.2	R & S
M8	0.7-1.6	12.8	17.8	10.6	R
M8	1.7-3.2	12.8	17.8	11.5	R
M8	3.3-4.7	12.8	17.8	13	R
M10	0.7-1.6	12.8	17.8	10.6	R
M10	1.7-3.2	12.8	17.8	11.5	R
M10	3.3-4.7	12.8	17.8	13	R

Also known as captive nuts, these are used as a “spring-in-fit” nut in square or slotted holes in sheet steel or other rigid materials.