

Countersunk Head Pozi Chipboard (Multi-Purpose) Screws



d	2.5	3	3.5	4	4.5	5	6
dk - max	5	6	7	8	9	10	12
k - max	3.0	3.5	4.0	4.4	4.7	5.2	5.9
t - min	1.6	1.7	1.85	2.15	2.6	3.0	3.0
t - max	2.01	2.15	2.30	2.85	3.05	3.45	3.80
Pozi No.	1	1	2	2	2	2	3

These traditional fasteners are fast moving into the metric age and although the original wire gauge sizes are still available they are gradually giving ground to the metric versions.

Available in various lengths & materials.

Countersunk Head Torx Chipboard (Multi-Purpose) Screws



d	3	3.5	4	4.5	5	6
dk - max	6	7	8	9	10	12
k - max	3.5	4.0	4.4	4.7	5.2	5.9
t - min	1	1.2	1.3	1.4	1.9	2.0/2.1
t - max	1.4	1.60	1.7	1.9	2.3	2.5/2.67
Torx No.	10	10 & 15	15 & 20	20 & 25	25	25 & 30

These traditional fasteners are fast moving into the metric age and although the original wire gauge sizes are still available they are gradually giving ground to the metric versions.

Available in various lengths & materials.

Pan Head Pozi Chipboard (Multi-Purpose) Screws



d	3	3.5	4	4.5	5	6
dk - max	6	7	8	9	10	12
k - max	2.65	2.9	3.15	3.5	3.8	4.4
t - min	1.6	1.6	2.05	2.6	3.0	3.0
t - max	2.1	2.30	2.75	3.2	3.45	3.80
Pozi No.	1	2	2	2	2	3

These traditional fasteners are fast moving into the metric age and although the original wire gauge sizes are still available they are gradually giving ground to the metric versions.

Available in various lengths & materials.

Pan Head Torx Chipboard (Multi-Purpose) Screws



d	3.5	4	4.5	5	6
dk - max	7	8	9	10	12
k - max	2.9	3.15	3.5	3.8	4.4
t - min	1.2	1.25	1.6	1.5	1.8
t - max	1.60	1.8	2.2	2.4	2.60
Torx No.	15	15	20	25	25

These traditional fasteners are fast moving into the metric age and although the original wire gauge sizes are still available they are gradually giving ground to the metric versions.

Available in various lengths & materials.