




# Red Fibre Washers



ID (Internal Diameter)	OD (External Diameter)	Thickness
M3	7.00	0.50
M4	9.00	0.80
M5	10.00	0.80
M6	12.50	0.80
M8	17.00	1.50
M10	21.00	1.50
M12	24.00	1.50
M16	30.00	1.50
M20	37.00	1.50

These are - Durable, Vulcanised, **Red Sealing Fibre Washers**. ... **Red Sealing Fibre Washers** are ideal for use in the Electrical Insulation, Automotive applications, Lighting, Glazing, Plumbing and Marine usage.

# Nylon Flat Washers





Diameter (d)	d1	d2	h
M1.6	1.7	4.0	0.3
M2	2.2	5.0	0.3
M2.5	2.7	6.0	0.5
M3	3.2	7.0	0.5
M3.5	3.7	8.0	0.5
M4	4.3	9.0	0.8
M5	5.3	10.0	1.0
M6	6.4	12.0	1.6
M7	7.4	14.0	1.6
M8	8.4	16.0	1.6

Diameter (d)	d1	d2	h
M10	10.5	20.0	2.0
M12	13.0	24.0	2.5
M14	15.0	28.0	2.5
M16	17.0	30.0	3.0
M18	19.0	34.0	3.0
M20	21.0	37.0	3.0
M22	23.0	39.0	3.0
M24	25.0	44.0	4.0
M27	28.0	50.0	4.0
M30	31.0	56.0	4.0

Nylon washers are much like other washers, serving as small pieces of hardware for various applications. Washers are typically thin, disc-shaped plates with a hole through the middle.

There are various of non standard washers that are available, and can be custom made.

# Rubber Flat Washers



ID (Internal Diameter)	OD (External Diameter)	Thickness
M3	7.0	0.50
M4	9.0	0.80
M5	10.0	1.00
M6	12.0	1.60
M8	16.0	1.60
M10	20.0	2.00
M12	24.0	2.50
M16	30.0	3.00
M20	37.0	3.00

A rubber washer is a ring made of rubber used in mechanical devices. It is used to prevent vibration from spreading from one part to another, reducing the noise levels